



Note Counting Machines & Paper Shredders



Save yourself from fraud and threat!



In India, Pilot
has established
itself as a
pioneer in
Shredders. In
line with these,
Pilot has also
launched
quality Note
counting
machines.

Confidential paperwork, used data sheets, invoice copies, unnecessary log files or any document that needs to be destroyed after use can be prohibited from accidentally falling into wrong hands using Pilot shredders. Their various cuts ensure that whoever tries to put together the puzzle of shredded paper will not be able to get the original document back.

Thus making these shredders the ideal choice for small offices and homes.

Pilot heavy duty shredders too are in tune with their technical expertise and engineering excellence.

Pilot Note counting machines are one peace of mind that all organisations that handle cash should have. Besides counting the notes, they also detect most fake currencies of the world.

Con game is rampant in this world. And fidelity can be found in these gadgets!

Note Counting Machine

Heavy Duty Shredder

NOTE COUNTING MACHINES

C-10UV/MG



Suitable for retail, corporate houses, banks etc. They come equipped with auto start, stop, clearing, batching, adding and self-examination functions. Additionally, double-bill with IR (infrared ray), UV (ultraviolet), MG (magnetic) & automatic half-note detection systems is also available. It is suitable for counting most currencies in the world.

Retail





Technical Data

Models	C-10UV/MG
Counting speed	>1000 notes/min
Net weight	5kgs
Power supply	AC 220V 50Hz
Power consumption	60W

C-50UV/MG _



Suitable for retail, corporate houses, banks etc. These machines have a TFT screen display & come equipped with auto start, stop, clearing, batching, adding and self-examination functions. Automatic detection with UV (ultraviolet) & MG (magnetic) & half-note detection system. Additionally double-notes detection with IR (infrared ray) detection system. It is suitable for counting most currencies in the world.

Technical Data

Models	C-50UV/MG
Counting speed	> 1000 notes/min
Net weight	5 kgs
Size of package	335mmx 308mmx210mm
Power supply	AC 220V 50/60Hz
Power consumption	75W

CV-20UV/MG/IR Value Counter _



Suitable for retail, corporate houses, banks etc. They come equipped with auto start, stop, clearing, batching, adding and self-examination functions. Additionally, double-bill with IR (infra red), UV (Ultra Violet), MG (Magnetic) & automatic half-note detection systems is also available. It is suitable for counting most currencies in the world.







Technical Data

CV-20UV/MG/IR	
>1000 notes/min	
6.5kgs	
AC 220V 50Hz	
75W	
	>1000 notes/min 6.5kgs AC 220V 50Hz

CV-60UV/MG/IR Value Counter









Suitable for retail, corporate houses, banks etc. These machines have a TFT screen display & come equipped with auto start, stop, clearing, batching, adding and self-examination functions. Automatic detection with UV (ultraviolet) & MG (magnetic) & half-note detection system. Additionally double-notes detection with IR (infrared ray) detection system. It is suitable for counting most currencies in the world.

Technical Data

CV-60UV/MG/IR
>1000 pcs per min
5.5KGS/6 KGS
368 x 326 x 268mm
AC220V 50/60Hz
<75W

CBT-30 Bundle Counter _













A table top mounted state-of-the-art heavy duty machine equipped with an LED display. Feather touch keypad makes operations easier. A cut off system prevents damage to the machine in case of voltage fluctuation. It also has a unique dust removing system which enhances the counting accuracy.

Best suited for Banks, Financial Institutions, Offices, Shops, Post Offices, Hotels, Places of Worship.

MODES OF OPERATION

Check Mode - Check nos as per pre-set value.

Free Mode - Count all notes placed in stacker.

Batch Mode - Count in batches.

Stamp Mode - Stamp OK after checking.

Technical Data

MODELS	DESKTOP (CBT-30)
Counting Mechanism	Vacuum
Dimensions(W x D x H)	330 x 420 x 240
Weight (approx)	35kg
Counting Speed / 100notes	4 sec. approx
Size range of documents (mm)	Min: 45 x100 Max: 100 x420
	Thickness: 0.04mm x0.18mm
Notes Capacity (max.)	Thickness: 0.04mm x0.18mm 150 notes
Notes Capacity (max.) Power Consumption	
	150 notes
Power Consumption	150 notes 380 W

CBF-30 Bundle Counter













A floor standing state-of-the-art heavy duty machine equipped with LED display, a feather-touch keypad for effortless operation, a cut-off system for protection against voltage fluctuations & a unique dust removing system for high accuracy. Best suited for Banks, Financial Institutions, Offices, Supermarkets, Post Offices, Hotels, Places of Worship & Transport organisations where soiled currency is to be counted.

MODES OF OPERATION

Check Mode - Check nos as per pre-set value.

Free Mode - Count all notes placed in stacker.

Batch Mode - Count in batches.

Stamp Mode - Stamp OK after checking.

Technical Data

Counting Mechanism	Vacuum
Dimensions(W x D x H)	450 x 300 x790
Weight (approx)	47kg
Counting Speed / 100notes	4 sec. approx
Size range of documents (mm)	Min: 45 x100 Max: 100 x420 Thickness: 0.04mm x0.18mm
Notes Capacity (max.)	150 notes
Power Consumption	380W
Power Source	AC 230V 10%; 50Hz
Types of notes	Stapled / Banded
Dual LED Display	4/3 digits

PAPER SHREDDERS

PERSONAL SHREDDERS

Pilot - 05 CC









Suitable for small offices and home settings, this 5-sheet cross shredder has an auto start/stop facility.

Capable of shredding paper, clips and staples, it shreds in a cross-cut manner.

Technical Data		
Feed opening, mm	220	
Shred width, mm	4x30	
Performance in sheets*	5	
Security level**	3	
Shred speed, metre/min	7.5	
Power connection, Volts	220	

illing, mili	220	
dth, mm	4x30	١
nce in sheets*	5	F
evel**	3	١
eed, metre/min	7.5	5
nnection, Volts	220	
consumption, Kw	0.15	F
Litres	14	Г

Dimensions, mm	H, W, D	378 x 312 x 175
Weight in Kg (app	orox.)	4.2
Photocell controll	ed	Yes
Warranty		3 months (Carry in)
Sound level (Db)	No Load	78
	Load	80
Rating (Min)	Working	4
	Idle	30

Pilot - 12 CC



It is a 12-sheet cross cut, plastic bin shredder making it suitable for small office and home settings.

Equipped with automatic start/stop facility and is capable of shredding paper, clips, staples and CDs.









Technical Data

Electrical

Capacity,

Feed opening, mm	220
Shred width, mm	4x33
Performance in sheets*	12
Security level**	3
Shred speed, metre/min	2.7
Power connection, Volts	220
Electrical consumption, Kw	0.18
Capacity, Litres	16.8

Diagnations was	11 M/D	450 220 210
Dimensions, mm	H, VV, D	456 x 330 x 218
Weight in Kg (app	orox.)	6.8 Kg
Photocell controll	ed	No
Warranty		12 months (Carry in)
Sound level (Db)	No Load	d 66
	Load	70
Rating (Min)	Working	g 3
	Idle	30

DESKSIDE OFFICE SHREDDERS

Pilot - 15 CC



It is a 15-sheet cross cut shredder with an auto start/stop facility. It shreds paper, clips, staples, cards & CDs.











Technical	Data
- 1	

reenmear bata	
Feed opening, mm	220
Shred width, mm	4 x 39
Performance in sheets*	15
Security level**	3
Shred speed, metre / min	1.8
Power connection, Volts	220
Electrical consumption, Kw	0.18
Capacity, Litres	26

Dimensions, mm H, \	W, D 534 >	376 x 286
Weight in Kg (approx	(.) 14	
Photocell controlled	Yes	
Warranty	12 m	onths (On site)
Carrad laval (Db)	No Load	73
Sound level (Db)	Load	75
Rating (Min)	Working	5
	Idle	30

DESKSIDE OFFICE SHREDDERS

Pilot - 08 MC _____









The Pilot 08-MC shredder is equipped with the electronic and digital control system, hence is suitable for offices. It is a cross cut shredder and has overload protection along with an auto start/stop function. This shredder shreds clips and staples.

Technical Data	
Feed opening, mm	220
Shred width mm	2 x 12
Performance in sheets*	8
Security level**	4
Shred speed, metre / min	2.7
Power connection, Volts	220
Electrical consumption, Kw	100 (0.10)
Capacity, Litres	25.6

Dimensions, mm	H, W, D 5	00 x 390 x 275
Weight in Kg (app	orox.) 1	3
Photocell controll	ed Y	es
Warranty	1	2 months (on site)
Sound level (Db)	No Load	55
	Load	60
Rating (Min)	Working	5
	Idle	20

Pilot - 16 CC





220

3.9 x 38mm









This cross cut / strip cut shredder with a subtle yet magnificent design is perfect for offices. It is equipped with electronic and digital control system. It also has an alarm signal that goes off when the paper bin is full. It accepts disks, cards, staples and clips.

Technical Data
Feed opening, mm
Shred width, mm
Performance in sheets*
C '1 ++

16 3 Security level** Shred speed, metre / min 2.7 220 Power connection, Volts Electrical consumption, Kw 210 (0.21) Capacity, Litres 25.6

Dimensions, mm H, W, D 500 x 390 x 275			
Weight in Kg 1		13 kgs	
Photocell controlled Yes			
Warranty .	12 months (on site)		
Sound level (Db)	No Load	55	
	Load	65	
Rating (Min)	Working	10	
	Idle	20	

Pilot - 16 SC













This cross cut / strip cut shredder with a subtle yet magnificent design is perfect for offices. It is equipped with electronic and digital control system. It also has an alarm signal that goes off when the paper bin is full. It accepts disks, cards, staples and clips.

recriffical Data	
Feed opening, mm	220
Shred width, mm	3.9 mm
Performance in sheets*	16
Security level**	2
Shred speed, metre/min	2.7
Power connection, Volts	220
Electrical consumption, Kw	210 (0.21)
Capacity, Litres	25.6

Dimensions, mm	H, W, D	500 x 390 x 275	
Weight in Kg		11 kgs	
Photocell controlled Yes			
Warranty		12 months (on site)	
Sound level (Db)	No Load	55	
	Load	65	
Rating (Min)	Working	10	
	Idle	20	

Pilot - 22 CC













A cross cut / strip cut shredder with special design for dust-proof, anti-static system and is suitable for office setting.

Automatically stops if the door is kept open and has a semi-floating shock absorption system. The alarm signals automatically when the paper bin is full. Used to shred disks, cards, staples & clips.

Technical Data	
Feed opening, mm	230
Shred width, mm	3.9 x 38mm
Performance in sheets*	22
Security level**	3
Shred speed, metre / min	2.2
Power connection, Volts	220
Electrical consumption, Kw	530 (0.53)
Capacity, Litres	32.7

Dimensions, mm	H, W, D 6	40 x 435 x 320
Weight in Kg (app	orox.) 2	6
Photocell controll	ed Ye	2S
Warranty	1.	2 months (on site)
Sound level (Db)	No Load	55
	Load	65
Rating (Min)	Working	20
	Idle	30

Pilot - 26 SC ___





230









A cross cut / strip cut shredder with special design for dust-proof, anti-static system and is suitable for office setting. Automatically stops if the door is kept open and has a semi-floating shock absorption system. The alarm signals automatically when the paper bin is full. Used to shred disks, cards, staples & clips.

Tech	nical Data	
Feed	opening,	mm

Shred width, mm	3.9mm
Performance in sheets*	26
Security level**	2
Shred speed, metre / min	2.2
Power connection, Volts	220
Electrical consumption, Kw	530 (0.5
Capacity, Litres	32.7

Dimensions, mm H,	W, D 640 x 4	25 x 320	
Weight in Kg (appro	x.) 24.5		
Photocell controlled	Yes		
Warranty	12 mor	nths (on site	2)
Sound level (Db)	No Load	55	
Journa level (Db)	Load	65	
Rating (Min)	Working	20	4115
	Idle	30	

HEAVY DUTY SHREDDERS

Pilot - 28 CC / 35 SC _



The Pilot 28-CC / 35 SC is a heavy duty paper shredder, equipped with automatic start/stop capability. It can shred paper, clips, staples & CDs and is highly durable.

T	CD	7







Tec	hnical	Data

Feed opening, mm	310
Shred width, mm	4 x 30 / 4
Performance in sheets*	28/35
Security level**	3/2
Shred speed, metre/min	2.2
Power connection, Volts	220
Electrical consumption, Kw	530 (0.53
Capacity, Litres	80

Dimensions, mm H	, W, D	895 x 5	520 x 385
Weight in Kg (appr	ox.)	54	
Photocell controlled	d ·	Yes	
Warranty		12 mo	nths (On site)
Sound level (Db)	No Lo	ad	58
	Load		65
Rating (Min)	Worki	ng	30
	Idle		30

*Paper A 4, 70 g/m² **As per DIN 32 757 standard

PBM Automation Private Limited

24, Sona Udyog, Parsi Panchayat Road, Andheri (East), Mumbai 400 069 INDIA
Tel: 91 22 660 47 000 • Fax: 91 22 660 47 010 • E-mail: info@pilotindia.com • www.pilotindia.com

Channel Partner

MODEX ELECTRONIC SYSTEMS PVT. LTD.

3-6-110, Anand Arcade, 1st Floor Opp.TATA Motors, Near TTD Kalyana Mantapam Himayathnagar Main Road, Hyderabad-500 029 Ph: 23223213 / 23223214, Fax:040-23222678